



WIDEST RANGE OF LED LIGHTING PRODUCTS







## High Finish Premium LED DECO bulb



### **Colours Available:**



Wattage Available:




LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

Model. NO.	ANRD-0.5W
Wattage	0.5W
Input Voltage	100-275V / 50-60HZ
CRI	>80
Housing	High quality PC based housing
Colour Temp.	Red/Blue/green/Yellow/Orange/White

Application:

Light Decoration, Bedrooms, Office, Temple etc.







Super Saver, High Quality LED Bulb

### **Colours Available:**















Wattage Available:



## Technical Specifications

LITESUN IS THE REGISTERED TRADEMARK

Model. NO.	ANRAB-3W	ANRAB-5W	ANRAB-7W	ANRAB-9W	ANRAB-12W	ANRAB-15W	ANRAB-18W	ANRAB-24W
Wattage	3W	5W	7W	9W	12W	15W	18W	24W
Input Voltage		100-275V / 50-60HZ						
CRI	>80							
Housing	High quality PC & aluminium based housing							
Colour Temp.	CW/WW/GREEN/RED/BLUE/YELLOW							
Lumen	300 Lumens	500 Lumens	700Lumens	900 Lumens	1200 Lumens	1500 Lumens	1800 Lumens	2400 Lumens
Beam Angle	180°	180°	180°	180°	180°	180°	180°	180°

Cap: B22 / E27







Super Saver, High Quality

LED Bulb











Wattage Available:





#### LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

Model. NO. 9W 12W Wattage Input Voltage 100-275V / 50-60HZ CRI High quality PC & aluminium based housing Housing CW/WW Colour Temp 1060 Lumens 1260 Lumens 180° Beam Angle 180°

Cap: B22 / E27







High Quality

Led INVERTER Bulb



**Colours Available:** 



Wattage Available:



LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

Model NO.	ANIVB-9W
Wattage	9W
Colour Temp.	CW
Battery	2000 mah. 3.7 Volt.

Application: Godown, Shoping mall, Showrooms etc. **2000** mah Battery 3.7 Volt.









High Quality
High Wattage Bulb



**Colours Available:** 



Wattage Available:







LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

 Model NO.
 ANRAB-30W
 ANRAB-40W
 ANRAB-50W

 Wattage
 30W
 40W
 50W

 Input Voltage
 100-275V / 50-60HZ

 CRI
 >80

 Housing
 High quality aluminium based


 Colour Temp.
 CW

 Lumen
 3000 Lumens
 4000 Lumens
 5000 Lumens

Cap: B22 / E27

Application:

Godown, Shoping mall, Showrooms etc.







High Quality
LED T-Bulb



LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

Model NO.	ANRTB-10W
Wattage	10W
Input Voltage	100-275V / 50-60HZ
CRI	>80
Colour Temp.	CW
Lumen	1000 Lumens

Application: Godown, Shoping mall, Showrooms etc.







High Finish Premium

LED PRIDE Tubelight



**Colours Available:** 





Wattage Available:









LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

Model NO.	ANRTL-5W	ANRTL-10W	ANRTL-20W	ANRTL-40W
Wattage	5W	10W	20W	40W
Size (Aprox.)	300 mm	525 mm	1120 mm	1175 mm
Input Voltage	100W-275V 50-60Hz			
CRI	>80			
Housing	High quality PC based housing Aluminium			
Colour Temp.	CW/WW			
Lumen	500 Lumens	1000 Lumens	2000 Lumens	4000 Lumens

Application:

Drawing Rooms, Showrooms, Shopping mall, Balcony etc.







High Finish Premium Led DHRUV concealed light



**Wattage Available:** 



**Colours Available:** 
















LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

Model NO. Wattage 5W Size O/D (mm) Cutout I/D (mm) 80 100-275V / 50-60HZ Input Voltage Housing High quality PC based housing CW/WW/Red/Blue/Green/Purple Colour Temp. 500 Lumens Lumen


Drawing Rooms, Showrooms, Shopping mall, Balcony etc.







High Finish Premium Led
VENUS concealed light



Wattage Available:



**Colours Available:** 












LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

Model NO.	ANRVC-7W
Wattage	7W
Size O/D (mm)	104
Cutout I/D (mm)	80
Input Voltage	100-275V 50-60 Hz
CRI	>80
Housing	High Quality Aluminium Based Housing
Colour Temp.	CW /WW / Red/ Blue/ Green/ Purple
Lumen	700

Application







High Finish Premium Led


207 Concealed light



## Technical Specifications

	'
Model NO.	ANRCL-6W
Wattage	6W
Input Voltage	100-275V 50-60 Hz
CRI	>80
Housing	High quality PC based housing
Colour Temp.	CW /WW / Red/ Blue/ Green/ Purple
Lumen	600

LITESUN IS THE REGISTERED TRADEMARK




Application





High Finish Premium Led
PREMIUM concealed light



Wattage Available:



**Colours Available:** 













LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

Application











**Colours Available:** 







Wattage Available:





LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

Model NO.	ANRSC-8W	ANRSC-15W	
Wattage	8W	15W	
Size O/D (mm)	104	121	
Cutout I/D (mm)	75	80	
Input Voltage	100-275V 50-60 Hz		
CRI	>80		
Housing	High quality PC based housing		
Colour Temp.	CW/WW/NW		
Lumen	800	1500	

Application







High Finish Premium Led

JUPITER concealed light



**Colours Available:** 






Wattage Available:



Technical Specifications

	'
Model NO.	ANRJC-9W
Wattage	9W
Size O/D (mm)	104
Cutout I/D (mm)	80
Input Voltage	100-275V 50-60 Hz
CRI	>80
Housing	High quality PC based housing
Colour Temp.	CW /WW
Lumen	900

Application: Drawing Rooms, Kitchen, Bathrooms, Shopping mall, Showrooms etc.







# High Finish Premium Led LATTU Surface light



Wattage Available:



**Colours Available:** 














## Technical Specifications

	1
Model NO.	ANRLS-7W
Wattage	7W
Input Voltage	100-275V 50-60 Hz
CRI	>80
Housing	High quality PC based housing
Colour Temp.	CW /WW / Red/ Blue/ Green/ Purple
Lumen	700

LITESUN IS THE REGISTERED TRADEMARK



Application





High Finish Premium Led **GURU** Concealed light



Wattage Available:



**Colours Available:** 













LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

	'
Model NO.	ANRCL-5W
Wattage	5W
Input Voltage	100-275V 50-60 Hz
CRI	>80
Housing	High quality PC based housing
Colour Temp.	CW /WW / Red/ Blue/ Green/ Purple
Lumen	500







# High Finish Premium LED ARENA Spot light



Wattage Available:

(2W)

**Colours Available:** 













## Technical Specifications

ccililical	3pccilications	
Model NO.	ANRAR-2W	
Wattage	2W	
Size O/D (mm)	42	
Cutout I/D (mm)	33	
Input Voltage	100-275V 50-60 Hz	
CRI	>80	
Housing	High quality PC based housing	
Colour Temp.	CW /WW / Red/ Blue/ Green	
Lumen	200	

Application

Drawing Rooms, Kitchen, Bathrooms, Shopping mall, Showrooms etc.







# High Finish Premium LED Downlights

Fits in all concealed box



**Colours Available:** 





Wattage Available:





## Technical Specifications

	1
Model NO.	ANRMC-6W
Wattage	6W
Size O/D (mm)	104
Cutout I/D (mm)	80
Input Voltage	100-275V 50-60 Hz
CRI	>80
Housing	High quality PC based housing
Colour Temp.	CW /WW
Lumen	600

Drawing Rooms, Kitchen, Bathrooms, Shopping mall, Showrooms etc.







High Finish Premium

**LED Deeplight** 

D3C



**Colours Available:** 





**Wattage Available:** 





## LED Downlighters

## Technical Specifications

	· · · · · · · · · · · · · · · · · · ·
Model NO.	ANRD3C-3W
Wattage	3W
Size O/D (mm)	72
Cutout I/D (mm)	51
Input Voltage	100-275V 50-60 Hz
CRI	>80
Housing	High quality PC based housing
Colour Temp.	CW /WW
Lumen	300

Drawing Rooms, Kitchen, Bathrooms, Shopping mall, Showrooms etc.







# High Finish Premium LED MERCURY Deeplight



Wattage Available:



**Colours Available:** 











LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

Application







## High Finish Premium LED WONDER Backlit Panel



### **Colours Available:**



Wattage Available:







## Technical Specifications

Model NO.	ANRWS -8W (S/R)	ANRWS -15W (S/R)	ANRWS -22W (S/R)	
Wattage	8W	15W	22W	
Size O/D (mm)	116X116	162X175	222X225	
Cutout I/D (mm)	105X116	155X155	205X205	
Input Voltage	100-275V 50-60 Hz			
CRI	>80			
Housing	High quality PC based housing with acrylic diffuser			
Colour Temp.	CW/WW/NW			
Lumen	800 Lumens	1500 Lumens	2200 Lumens	

Application

Drawing Rooms, Kitchen, Bathrooms, Shopping mall, Showrooms etc.







### **Colours Available:**

High Finish Premium LED COB LIGHT

























LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

Model NO.	ANRCOB -8W	ANRCOB -15W	ANRCOB -22W
Wattage	6W	12W	18W
Size O/D (mm)	63X63	85X85	90x90
Height (mm)	60X60	80X80	93x93
Input Voltage	100-275V 50-60 Hz		
CRI	>80		
Housing	High Quality Aluminium body		
Colour Temp.	CW/WW/NW		
Lumen	600 Lumens	1200 Lumens	1800 Lumens

Application







High Wattage Light 2X2 Backlit Panel

**Colours Available:** 









(40W)

## Technical Specifications

LITESUN IS THE REGISTERED TRADEMARK

Model. NO.	ANRPL-36W
Wattage	40W
Input Voltage	100-275V / 50-60HZ
CRI	>80
Housing	High quality PC & aluminium based housing
Colour Temp.	CW/WW/NHW
Lumen	4000 Lumens
Beam Angle	180°

Application







## High Finish Premium LED FLOOD LIGHT



## Wattage Available:



### **Colours Available:**














**IP-65 WATERPROOF** 

#### LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

Model NO.	ANRFL-10W	ANRFL-20W	ANRFL-30W	ANRFL-50W	ANRFL-100W	ANRFL-150W	ANRFL-200W
Wattage	10W	20W	30W	50W	100W	150W	200W
Input Voltage		100~275V    50~60Hz					
CRI	>80						
Housing	High quality die-cast aluminium+Toughened Heat Resistent Glass						
Protection	IP-65						
Colour Temp.	CW/WW/RED/GREEN/BLUE/PURPLE						
Lumen	1000 Lumens	2000 Lumens	3000 Lumens	5000 Lumens	10000 Lumens	15000 Lumens	20000 Lumens

Outdoor & Indoor Parking, Roads, Street, Hospitals, Hotels, playground etc







High Finish Premium LED STREET LIGHT



**Colours Available:** 







**Wattage Available:** 










LITESUN IS THE REGISTERED TRADEMARK

## Technical Specifications

Model NO.	ANRST-18W	ANRST-30W	ANRST-50W	ANRST-100W
Wattage	18W	30W	50W	100W
Input Voltage	100-275V 50-60Hz			
CRI	>80			
Housing	High quality die-cast aluminium+Toughened Heat Resistent Glass			
Protection	IP-65			
Colour Temp.	CW/WW			
Lumen	2000 Lumens	3000 Lumens	5000 Lumens	10000 Lumens

Outdoor & Indoor Parking, Roads, Street, Hospitals, Hotels, playground etc







High Finish Premium

LED STREET LIGHT



**Colours Available:** 





Wattage Available:



Technical Specifications

	·
Model NO.	ANRSTP-20W
Wattage	20W
Input Voltage	100-275V 50-60Hz
CRI	>80
Housing	High Quality Polycorbonate
Protection	IP-65
Colour Temp.	CW/WW
Lumen	2000 Lumens








FR-SELF ADHESIVE PVC
Electrical Insulation Tape















A Quality Product by:

A.N.R. Lighting Pvt. Ltd.

I<sup>ST</sup> Floor, Vishwas complex, Kishangarh Road, Shahabad (M) bist. Kurukshetra, Haryana India 136135.



(10:00 AM - 6:00 PM Monday to Saturday)



facebook.com/litesun.in instagram/litesun.i witter.com/litesunl



E-mail: info@litesun.in

Website: www.litesun.in

